






Mortality Rates: Overall; Sex, Race, Age-Specific



* Denotes significant difference from City of Cincinnati at p < 0.05

Mortality Profile by Cause of Death*

CAUSE OF DEATH*	Camp Washington Deaths 2001-2007	Camp Washington Deaths per Year	Camp Washington Rate per 100,000	Cincinnati Rate per 100,000	SMR**	P-Value
Major cardiovascular diseases ^	22	3.1	216.69	265.16	0.82	0.397
All other forms of chronic ischemic heart disease ~	8	1.1	78.80	100.95	0.78	0.609
Acute myocardial infarction ~	3	0.4	29.55	52.07	0.57	0.453
All other forms of heart disease ~	3	0.4	29.55	48.59	0.61	0.547
Hypertensive heart disease ~	3	0.4	29.55	24.49	1.21	1.000
Heart failure	1	0.1	9.85	21.91	0.45	0.696
Atherosclerotic cardiovascular disease, so described	4	0.6	39.40	11.73	3.36	0.050
Malignant neoplasms ^	24	3.4	236.39	230.78	1.02	0.872
Malignant neoplasms of trachea, bronchus and lung ~	10	1.4	98.50	70.85	1.39	0.297
All other and unspecified malignant neoplasms ~	4	0.6	39.40	26.33	1.50	0.431
Malignant neoplasms of colon, rectum and anus	2	0.3	19.70	23.60	0.83	1.000
Malignant neoplasms of liver and intrahepatic bile ducts	2	0.3	19.70	6.46	3.05	0.223
Hodgkin's disease	1	0.1	9.85	0.65	15.25	0.123
Leukemia	1	0.1	9.85	6.16	1.60	0.672
Malignant neoplasm of breast	1	0.1	9.85	19.38	0.51	0.828
Malignant neoplasm of prostate	1	0.1	9.85	12.52	0.79	1.000
Malignant neoplasm of stomach	1	0.1	9.85	4.97	1.98	0.612
Malignant neoplasms of lip, oral cavity and pharynx	1	0.1	9.85	3.68	2.68	0.516
Diabetes mellitus ^^	8	1.1	78.80	44.76	1.76	0.117
Other ^	7	1.0	68.95	163.06	0.42	0.014
All other diseases (Residual)	7	1.0	68.95	122.52	0.56	0.143
Cerebrovascular diseases ^^	6	0.9	59.10	71.05	0.83	0.836
Chronic lower respiratory diseases ^	6	0.9	59.10	56.14	1.05	0.973
Other chronic lower respiratory diseases ~	6	0.9	59.10	47.30	1.25	0.564
Accidents (unintentional injuries) ^	5	0.7	49.25	42.58	1.16	0.722
Accidental poisoning and exposure to noxious substances	4	0.6	39.40	12.32	3.20	0.058
Accidental exposure to smoke, fire and flames	1	0.1	9.85	1.44	6.84	0.254
Certain conditions originating in the perinatal period	4	0.6	39.40	13.81	2.85	0.079
Assault (homicide)	2	0.3	19.70	19.08	1.03	0.829
Assault (homicide) by other and unspecified means and their sequelae	2	0.3	19.70	4.37	4.51	0.126
Nephritis, nephrotic syndrome and nephrosis ^	2	0.3	19.70	23.20	0.85	1.000
Renal failure	2	0.3	19.70	22.56	0.87	1.000
Septicemia	2	0.3	19.70	17.39	1.13	0.875

*According to NCHS 50 leading cause of death categories and NCHS 113 cause of death groupings

^ Top ten cause of death category for City of Cincinnati (NCHS 50 leading cause of death rankings)

~ Top ten specific cause of death for City of Cincinnati (NCHS 113 cause of death groupings)

**SMR: Standardized Mortality Ratio – ratio of neighborhood rate to City of Cincinnati rate

Significantly greater than City of Cincinnati for $p < 0.05$

Cincinnati Health Department
Neighborhood Mortality Profile
Camp Washington: 2001 - 2007

CAUSE OF DEATH*	Camp Washington Deaths 2001-2007	Camp Washington Deaths per Year	Camp Washington Rate per 100,000	Cincinnati Rate per 100,000	SMR**	P-Value
Chronic liver disease and cirrhosis	1	0.1	9.85	10.98	0.90	1.000
Alcoholic liver disease	1	0.1	9.85	5.47	1.80	0.640
Human immunodeficiency virus (HIV) disease	1	0.1	9.85	5.96	1.65	0.663
Influenza and pneumonia ^	1	0.1	9.85	21.86	0.45	0.698
Pneumonia	1	0.1	9.85	21.61	0.46	0.710
Intentional self-harm (suicide)	1	0.1	9.85	11.63	0.85	1.000
Intentional self-harm (suicide) by discharge of firearms	1	0.1	9.85	5.07	1.94	0.617
Pneumonitis due to solids and liquids	1	0.1	9.85	9.69	1.02	0.738
Viral hepatitis	1	0.1	68.95	1.99	34.69	0.331

*According to NCHS 50 leading cause of death categories and NCHS 113 cause of death groupings

^ Top ten cause of death category for City of Cincinnati (NCHS 50 leading cause of death rankings)

~ Top ten specific cause of death for City of Cincinnati (NCHS 113 cause of death groupings)

**SMR: Standardized Mortality Ratio – ratio of neighborhood rate to City of Cincinnati rate

Significantly greater than City of Cincinnati for $p < 0.05$

Mortality Profile: Neighborhood Rates Higher than City of Cincinnati Rates

CAUSE OF DEATH*	Camp Washington Deaths per Year	Camp Washington Rate per 100,000	Cincinnati Rate per 100,000	SMR**	P-Value
Accidental exposure to smoke, fire and flames	0.1	68.95	10.09	6.84	0.254
Accidental poisoning and exposure to noxious substances	0.6	275.79	86.25	3.20	0.058
Alcoholic liver disease	0.1	68.95	38.26	1.80	0.640
All other and unspecified malignant neoplasms	0.6	275.79	184.32	1.50	0.431
Assault (homicide) by other and unspecified means and their sequelae	0.3	137.89	30.60	4.51	0.126
Atherosclerotic cardiovascular disease, so described	0.6	275.79	82.08	3.36	0.050
Certain conditions originating in the perinatal period	0.6	275.79	96.68	2.85	0.079
Chronic lower respiratory diseases	0.9	413.68	392.99	1.05	0.973
Diabetes mellitus	1.1	551.58	313.35	1.76	0.117
Hodgkin's disease	0.1	68.95	4.52	15.25	0.123
Human immunodeficiency virus (HIV) disease	0.1	68.95	41.73	1.65	0.663
Hypertensive heart disease	0.4	206.84	171.45	1.21	1.000
Intentional self-harm (suicide) by discharge of firearms	0.1	68.95	35.47	1.94	0.617
Leukemia	0.1	68.95	43.12	1.60	0.672
Malignant neoplasm of stomach	0.1	68.95	34.78	1.98	0.612
Malignant neoplasms of lip, oral cavity and pharynx	0.1	68.95	25.74	2.68	0.516
Malignant neoplasms of liver and intrahepatic bile ducts	0.3	137.89	45.21	3.05	0.223
Malignant neoplasms of trachea, bronchus and lung	1.4	689.47	495.93	1.39	0.297
Other chronic lower respiratory diseases	0.9	413.68	331.08	1.25	0.564
Pneumonitis due to solids and liquids	0.1	68.95	67.82	1.02	0.738
Septicemia	0.3	137.89	121.72	1.13	0.875
Viral hepatitis	0.1	68.95	13.91	4.96	0.331

*NCHS 113 cause of death groupings

**SMR: Standardized Mortality Ratio – ratio of neighborhood rate to City of Cincinnati rate

Significantly greater than City of Cincinnati for $p < 0.05$