






Mortality Rates: Overall; Sex, Race, Age-Specific



* Denotes significant difference from City of Cincinnati at p < 0.05

Mortality Profile by Cause of Death*

CAUSE OF DEATH*	Fay Apts Deaths 2001-2007	Fay Apts Deaths per Year	Fay Apts Rate per 100,000	Cincinnati Rate per 100,000	SMR**	P-Value
Certain conditions originating in the perinatal period	12	1.7	69.94	13.81	5.06	1.05E-05
Other ^	10	1.4	58.28	163.06	0.36	1.63E-04
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	5	0.7	29.14	13.36	2.18	0.106
All other diseases (Residual)	4	0.6	23.31	122.52	0.19	1.38E-05
Other diseases of respiratory system	1	0.1	5.83	10.93	0.53	0.879
Diabetes mellitus ^~	6	0.9	34.97	44.76	0.78	0.706
Malignant neoplasms ^	5	0.7	29.14	230.78	0.13	9.97E-12
Malignant neoplasms of trachea, bronchus and lung ~	3	0.4	17.48	70.85	0.25	0.004
All other and unspecified malignant neoplasms ~	2	0.3	11.66	26.33	0.44	0.341
Nephritis, nephrotic syndrome and nephrosis ^	4	0.6	23.31	23.20	1.00	0.872
Renal failure	4	0.6	23.31	22.56	1.03	0.905
Assault (homicide)	3	0.4	17.48	19.08	0.92	1.000
Assault (homicide) by discharge of firearms	3	0.4	17.48	14.71	1.19	0.994
Congenital malformations, deformations and chromosome abnormalities	3	0.4	17.48	6.66	2.63	0.158
Major cardiovascular diseases ^	3	0.4	11.66	265.16	0.04	4.68E-16
Acute myocardial infarction ~	1	0.1	5.83	52.07	0.11	0.003
All other forms of heart disease ~	1	0.1	5.83	48.59	0.12	0.004
All other forms of chronic ischemic heart disease ~	1	0.1	5.83	100.95	0.06	1.02E-06
Chronic lower respiratory diseases ^	2	0.3	11.66	56.14	0.21	0.007
Other chronic lower respiratory diseases ~	2	0.3	11.66	47.30	0.25	0.025
Essential (primary) hypertension and hypertensive renal disease	2	0.3	11.66	14.31	0.81	1.000
Accidents (unintentional injuries) ^	1	0.1	5.83	42.58	0.14	0.011
Motor vehicle accidents	1	0.1	5.83	9.79	0.60	0.998
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	1	0.1	5.83	6.21	0.94	1.000
Septicemia	1	0.1	5.83	17.39	0.34	0.401
Viral hepatitis	1	0.1	5.83	1.99	2.93	0.488

*According to NCHS 50 leading cause of death categories and NCHS 113 cause of death groupings

^ Top ten cause of death category for City of Cincinnati (NCHS 50 leading cause of death rankings)

~ Top ten specific cause of death for City of Cincinnati (NCHS 113 cause of death groupings)

**SMR: Standardized Mortality Ratio – ratio of neighborhood rate to City of Cincinnati rate

Significantly greater than City of Cincinnati for $p < 0.05$

Mortality Profile: Neighborhood Rates Higher than City of Cincinnati Rates

CAUSE OF DEATH*	Fay Apts Deaths per Year	Fay Apts Rate per 100,000	Cincinnati Rate per 100,000	SMR**	P-Value
Assault (homicide) by discharge of firearms	0.4	17.48	14.71	1.19	0.994
Certain conditions originating in the perinatal period	1.7	69.94	13.81	5.06	1.05E-05
Congenital malformations, deformations and chromosome abnormalities	0.4	17.48	6.66	2.63	0.158
Renal failure	0.6	23.31	22.56	1.03	0.905
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	0.7	29.14	13.36	2.18	0.106
Viral hepatitis	0.1	5.83	1.99	2.93	0.488

*NCHS 113 cause of death groupings

**SMR: Standardized Mortality Ratio – ratio of neighborhood rate to City of Cincinnati rate

Significantly greater than City of Cincinnati for $p < 0.05$