






NOTE: ALL DIMENSIONS SHOWN ARE IN ENGLISH AND [METRIC]
 CAPABLE OF H-25/HS-25 LOAD RATING(SUPPORTED ON THREE SIDES).
 COMPONENT NOS.: FRAME 3288-2005,
 MATERIAL: CAST GRAY IRON ASTM A-48, CLASS 35B
 FINISH: NO PAINT
 WEIGHT: EST 290#

03-30-2017	ADDED LOAD RATING	HSB
10-20-2014	REMOVED BACK FLANGE	RKB
06-25-2010	REMOVED PART OF FLANGE	RKB
12-01-2009	ADD MTL TO UNSUPPORTED SIDE	SMA
DATE	REVISION	

DR.	SCALE	TITLE:
CH.	1"=1'-0"	
APP.	DIM CHK.	
DATE		
NEENAH FOUNDRY COMPANY NEENAH WISCONSIN 54956		
NF- B		

CAD DWG. REF:

5

Combination Inlet Casting - 49017

Or Stormwater Approved Substitution

Approved Eric Saylor

City Stormwater Management Engineer



A Division of Greater Cincinnati Water Works

C I N C I N N A T I
S T O R M W A T E R
 M A N A G E M E N T U T I L I T Y